

poly Lanterns



Coach Wall Lantern
with Brass Trimmed Acrylic Panels

77-896 Black
77-897 White
(1) 60W A19 max.

*Dimensions: Height 17", Extension 8",
Diameter 7¼", Top to Outlet 12"*



Hex Dome Wall Lantern
with Clear Acrylic Panels

77-804 Black
77-805 White
(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8",
Diameter 8", Top to Outlet 12"*



Mansard Wall Lantern
with Textured Acrylic Panels

77-852 Black
77-853 White
(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8",
Diameter 8", Top to Outlet 12"*



Swirl Dome Wall Lantern
with Clear Acrylic Panels

77-854 Black
77-855 White
(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8½",
Diameter 8", Top to Outlet 12"*



Coach Post Lantern
with Brass Trimmed Acrylic Panels

77-898 Black
77-899 White
(1) 60W A19 max.

*Dimensions: Height 12½",
Extension 8", Diameter 7¼"*



Hex Dome Post Lantern
with Clear Acrylic Panels

77-806 Black
77-807 White
(1) 60W A19 max.

Dimensions: Height 13½", Diameter 8"

poly lanterns



Oval Cage
with Poly Body and Lens

77-857 Black

77-858 White

(1)75W A19 max.

Dimensions: Height 10", Width 5",
Extension 4"



Round Cage
with Poly Body and Lens

77-859 Black

77-861 White


(1)75W A19 max.

Dimensions: Height 10", Extension 4"



Round Cage
Energy Saver

with Poly Body and Lens

 **77-892** Black

 **77-893** White

(2) 9W Twin/G23 base max. Included

Dimensions: Height 10", Extension 4"



Oval Cage
Energy Saver

with Poly Body and Lens

 **77-894** Black

 **77-895** White

(1) 9W Twin/G23 base max. Included

Dimensions: Height 10", Width 5", Extension 4"

industrial style Surface Mounts



industrial style surface mounts



Large Old Bronze
76-627 (1) 200W A Type max.
 Dimensions: Height 11", Diameter 5½"



Large Metallic Silver
76-626 (1) 200W A Type max.
 Dimensions: Height 11", Diameter 5½"



Large White
76-618 (1) 200W A Type max.
 Dimensions: Height 11", Diameter 5½"



Small Old Bronze
76-625 (1) 100W A Type max.
 Dimensions: Height 9½", Diameter 4¼"



Small Metallic Silver
76-624 (1) 100W A Type max.
 Dimensions: Height 9½", Diameter 4¼"



Small White
76-616 (1) 100W A Type max.
 Dimensions: Height 9½", Diameter 4¼"

FEATURES

CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Supplied
- Suitable for Residential Use Without Junction Box



industrial style Wall Mounts

industrial style wall mounts



Large White

76-617 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Metallic Silver

76-622 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Old Bronze

76-623 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Small White

76-615 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



Small Metallic Silver

76-620 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



Small Old Bronze

76-621 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



76-651

76-650

76-652

Die-Cast Junction Box
(Can be added to wall fixture)

FEATURES

WALL MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Available For Surface Mount Installations
- Suitable for Residential Use Without Junction Box

carport Flush Mounts



**Small Poly Frame
Black**
Frosted Acrylic Panels
77-863

(1) 60W A19 max.
Dimensions: Width 8¼",
Height 4½"



**Small Poly Frame
White**
Frosted Acrylic Panels
77-835

(1) 60W A19 max.
Dimensions: Width 8¼",
Height 4½"



**Large Poly Frame
White**
Frosted Acrylic Panels
77-879

(2) 60W A19 max.
Dimensions: Width 10¼",
Height 5½"



**Large Poly Frame
Black**
Frosted Acrylic Panels
77-891

(2) 60W A19 max.
Dimensions: Width 10¼",
Height 5½"



**Metal Frame
Black**
Textured Frosted Glass
60-473

(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"



**Metal Frame
White**
Textured Frosted Glass
60-470

(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"



**Metal Frame
Polished Brass Finish**
Textured Frosted Glass
60-471

(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"



**Metal Frame
Old Bronze**
Textured Frosted Glass
60-472

(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"

carport flush mounts



utility Fixtures

UTILITY LIGHTING
WALL & CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- White Glass with Gasket
- U.L. Wet Location Listed
- Suitable for Residential Use

utility fixtures



Wall Mount with
White Glass Cylinder
77-137 Black
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Wall Mount with
White Glass Cylinder
77-136 Satin Aluminum
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Wall Mount with
White Glass Cylinder
77-138 Bronztotic
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Wall Mount with
White Glass Cylinder
77-530 White
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Ceiling Mount with
White Glass Globe
77-157 Black
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Ceiling Mount with
White Glass Globe
77-152 Satin Aluminum
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Ceiling Mount with
White Glass Globe
77-153 Bronztotic
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Ceiling Mount with
White Glass Globe
77-532 White
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Wall Mount with
White Glass Globe
77-140 Black
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Wall Mount with
White Glass Globe
77-139 Satin Aluminum
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Wall Mount with
White Glass Globe
77-141 Bronztotic
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Wall Mount with
White Glass Globe
77-531 White
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Ceiling Mount with
White Glass Cylinder
77-154 Black
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"



Ceiling Mount with
White Glass Cylinder
77-155 Satin Aluminum
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"



Ceiling Mount with
White Glass Cylinder
77-156 Bronztotic
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"



Ceiling Mount with
White Glass Cylinder
77-533 White
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"

porch Wall Fixtures



porch wall fixtures



White Globe
77-993 Polished Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Clear Mason Jar
77-996 Polished Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



White Globe
77-992 Black
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Clear Mason Jar
77-119 Black
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



White Globe
77-994 Antique Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Clear Mason Jar
77-995 Antique Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Frosted Mason Jar

76-702 Gloss White

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



White Globe

76-704 Gloss White

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



Frosted Mason Jar

76-700 Old Bronze

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



White Globe

76-703 Old Bronze

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



Frosted Mason Jar

76-701 Brushed Nickel

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



White Globe


76-705 Brushed Nickel

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



porch Wall Fixtures



porch wall fixtures



Clear Mason Jar with Photoelectric Sensor
77-856 Black
 (1) 60W A19 max.
 Dimensions: Diameter 4½",
 Height 6", Extension 6"



Clear Mason Jar with Photoelectric Sensor
77-862 White
 (1) 60W A19 max.
 Dimensions: Diameter 4½",
 Height 6", Extension 6"



Lexan Globe with Photoelectric Sensor Energy Saver
77-750 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Globe with Photoelectric Sensor Energy Saver
77-751 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Cylinder with Photoelectric Sensor Energy Saver
77-748 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



Lexan Cylinder with Photoelectric Sensor Energy Saver
77-749 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



Lexan Globe Energy Saver
77-728 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Globe Energy Saver
77-729 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Cylinder Energy Saver
77-726 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



Lexan Cylinder Energy Saver
77-727 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



exterior Floodlights

exterior flood lights



One Light PAR Floodlight
77-702 Gray
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"



One Light PAR Floodlight
77-494 Bronze
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"



One Light PAR Floodlight
77-487 White
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"



One Light PAR Floodlight
77-700 Black
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"

**HEAVY DUTY
CAST ALUMINUM**

- FEATURES**
- Contemporary styling
 - Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket

exterior Floodlights



Two Light PAR Floodlight

77-495 Bronze

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-703 Gray

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-701 Black

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-488 White

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"

**HEAVY DUTY
CAST ALUMINUM**

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket



exterior Floodlights

exterior flood lights



Twin Floodlight with Motion Sensor

76-502 White **76-503** Black

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 9 1/2"



Twin Floodlight with Motion Sensor

76-530 White **76-531** Black

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"

*One Light PAR
Floodlight Holder*

76-520 White

76-521 Black

(1) 150W PAR38 max.

Dimensions: Width 4 1/2",
Extension 5"



*Two Light PAR
Floodlight Holder*

76-522 White

76-523 Black

(2) 150W PAR38 max.

Dimensions:
Width 10",
Extension 5"



*One Light
"Quick Mount"
Adjustable Par Holder*

76-682 White

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



*One Light
"Quick Mount"
Adjustable Par Holder*

76-683 Bronze

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



*Two Light
"Quick Mount"
Adjustable Par Holder*

76-684 White

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



*Two Light
"Quick Mount"
Adjustable Par Holder*

76-685 Bronze

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



SENSOR FEATURES

- 110° x 15M Sensor range
- 5 sec. to 18 min. delay control
- Adjustable daylight control
- Manual override feature

*Add On
Motion Sensor*

Fits 1/2" Threaded Knockouts

76-500 White

76-501 Black



exterior Floodlights



exterior flood lights



Mini Halogen Floodlight

76-510 White

76-511 Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 3 1/4", Extension 8"



Twin Mini Halogen Floodlight

76-512 White

76-513 Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 3 1/4", Extension 8"



*Mini Halogen Floodlight
with Motion Sensor*

76-504 White

76-505 Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 6", Extension 8"



*Twin Mini Halogen Floodlight
with Motion Sensor*

76-506 White

76-507 Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 7", Extension 8"

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket

SENSOR FEATURES

- 110° x 15M Sensor range
 - 5 sec. to 18 min. delay control
- Manual override feature



exterior Floodlights

exterior flood lights



Large Halogen FloodLight

76-515 Black

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 10", Extension 10"



Large Halogen FloodLight

76-514 White

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 10", Extension 10"



Large Halogen FloodLight
with Motion Sensor

76-509 Black

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 12", Extension 10"



Large Halogen FloodLight
with Motion Sensor

76-508 White

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 12", Extension 10"

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket

SENSOR FEATURES

- 110° x 15M Sensor range
 - 5 sec. to 18 min. delay control
- Manual override feature

landscape Floods



PAR16 Floodlight

76-645 Dark Bronze

(1) 60W PAR16 max.

Dimensions: Diameter 2 1/8", Length 5 1/2"



PAR20 Floodlight

76-646 Dark Bronze

(1) 75W PAR20 max.

Dimensions: Diameter 2 3/4", Length 6 1/4"



PAR30 Floodlight

76-647 Dark Bronze

(1) 75W PAR30 (Longneck) max.

Dimensions: Diameter 4 1/4", Length 11 1/2"



PAR38 Floodlight

76-648 Dark Bronze


(1) 150W PAR38 max.

Dimensions: Diameter 5 1/4", Length 12 1/2"

Landscape Floods

Incandescent Flood Lights

- Die-cast aluminum
- With hood and weatherproof gasket
 - Stainless Steel Screws
- For uplighting trees, foliage, statues...



PAR16 Floodlight
76-655 Antique Verdi
 (1) 60W PAR16 max.
 Dimensions:
 Diameter 2 1/2",
 Length 5 1/2"



PAR30 Floodlight
76-657 Antique Verdi
 (1) 75W PAR30
 (Longneck) max.
 Dimensions:
 Diameter 4 1/4",
 Length 11 1/2"



PAR20 Floodlight
76-656 Antique Verdi
 (1) 75W PAR20 max.
 Dimensions:
 Diameter 2 3/4",
 Length 6 1/4"



PAR38 Floodlight
76-658 Antique Verdi
 (1) 150W PAR38 max.
 Dimensions:
 Diameter 5 1/2",
 Length 12 1/2"



Mounting Plates
 Die Cast
76-665 1 Light / Dark Bronze



Mounting Plates
 Die Cast
76-667 1 Light / Antique Verdi



Mounting Plates
 Die Cast
76-666 2 Light / Dark Bronze



Mounting Plates
 Die Cast
76-668 2 Light / Antique Verdi




Landscape Floodlight
 Mounting Plates

- Convert Any Landscape Floodlight into a Wall Mounted Security Floodlight
- U.L. Listed for Dual Applications



Hardware and gasket included with mounting plates.

pathway Lighting



Two Louver Small Hood

76-632 Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 6 1/8"



Two Louver Small Hood

77-323 Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 6 1/8"



Two Louver Large Hood

76-635 Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 9 3/8"



Two Louver Large Hood

76-634 Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 9 3/8"



Three Louver Small Hood

76-633 Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 6 1/8"



Three Louver Small Hood

77-324 Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 6 1/8"



Three Louver Large Hood

76-637 Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 9 3/8"



Three Louver Large Hood

76-636 Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 9 3/8"



All Pathway Lighting Fixtures Supplied
with 1/2" Couplings for Use with
Mounting Posts on the Following Page.



mounting Posts

PVC Mounting Post

- 2" & 3" Wide cap • 1/2" Female thread
- 18" High • Ground wire attached
- Stabilizer bar included
- Cast aluminum cap included



2" Diameter PVC Mounting Post
76-638
 Green Finish
 Dimensions: Height 18", Diameter 2"



2" Diameter PVC Mounting Post
76-639
 Old Bronze Finish
 Dimensions: Height 18", Diameter 2"



3" Diameter PVC Mounting Post
76-641
 Dark Bronze
 Dimensions: Height 18", Diameter 3"



2" Diameter PVC Mounting Post
76-640
 Dark Bronze Finish
 Dimensions: Height 18", Diameter 2"



2" Diameter PVC Mounting Post
76-644
 Verdi Finish
 Dimensions: Height 18", Diameter 2"



3" Diameter PVC Mounting Post
76-664
 Verdi Finish
 Dimensions: Height 18", Diameter 3"



12" X 1/2" Steel Mounting Post
 Threaded on Both Ends
90-1278
 Green Finish



12" X 1/2" Steel Mounting Post
 Threaded on Both Ends
90-1279
 Old Bronze Finish



mounting posts

twist



Lock Globes

twist lock globes

White Acrylic Globe

	Dia.	Fitter
50-784	10"	4"
50-785	12"	5 1/4"
50-786	14"	5 1/4"
50-787	16"	5 1/4"



White Acrylic Cube

	Dia.	Fitter
50-796	10"	5 1/4"



Smoke Acrylic Globe

	Dia.	Fitter
50-780	10"	4"
50-781	12"	5 1/4"
50-782	14"	5 1/4"
50-783	16"	5 1/4"



Smoke Acrylic Cube

	Dia.	Fitter
50-797	10"	5 1/4"



Clear Stripe Acrylic Globe

	Dia.	Fitter
50-788	10"	4"
50-789	12"	5 1/4"
50-790	14"	5 1/4"
50-791	16"	5 1/4"



Clear Acrylic Cube

	Dia.	Fitter
50-798	10"	5 1/4"



Shown: 50-781 Globe with 77-969 Holder





Twist Lock Globes

White Acrylic Elliptical

50-800 Dia. Fitter
 16"x10" 5 1/4"



Smoke Acrylic Elliptical

50-799 Dia. Fitter
 16"x10" 5 1/4"



Clear Stripe Acrylic Elliptical

50-801 Dia. Fitter
 16"x10" 5 1/4"



Clear Acrylic Elliptical

50-802 Dia. Fitter
 16"x10" 5 1/4"



White Acrylic Pear

50-794 Dia. Fitter
 12" 5 1/4"



Smoke Acrylic Pear

50-792 Dia. Fitter
 12" 5 1/4"



Choose a globe and holder to create a complete fixture. Globe and holders sold separately. All acrylic globes have 1/4 turn twist lock notched holders for easy relamping. Holders are available in compact fluorescent and incandescent versions to fit all standard 3" posts and pier mount bases.



Shown:
50-801 Globe with
SF77-998 Holder

Also Shown:
50-726 Clear
Prismatic Cylinder

twist lock globes

twist lock Globes



Clear Acrylic Pear

50-793 Dia. 12" Fitter 5 1/4"




Clear Stripe Acrylic Pear

50-795 Dia. 12" Fitter 5 1/4"



twist lock Holders




Incandescent



4" Holders	5 1/4" Holders
77-692 Black	77-968 Black
77-693 White	77-969 White

Incandescent Max. Wattages:
10" Globes-60 watt max.
12" to 14"-100 watt max.
16"-150 watt max.



Compact Fluorescent



4" Holders	5 1/4" Holders
77-949 Black	77-998 Black
77-967 White	77-999 White

All compact fluorescent holders accommodate 13W Twin Tube GX23-2 base max.

twist lock globes